



# LAKES PRECISION<sup>INC.</sup>

*Your Global Source for Wire Processing Perishable Tooling*

## **NILE AIR MACHINE SERIES**

*THIS SECTION CONTAINS BLADES FOR NILE AIR TOOLS CST 100 MACHINE SERIES*

**Your Global Source for Wire Processing Perishable Tooling**

[www.lakesprecision.com](http://www.lakesprecision.com)


### DIE TYPE BLADES

The die-type blade has a fixed shut height. The cutting edge is precisely drilled to an exact radius dimension for the conductor diameter. The insulation wall is contained in a counter-bore drilled around cutting edge.

This type of blade is the most exactly matched blade to the wire specification, giving a very precise insulation removal. This is excellent for removal of extremely thin insulation walls or where the outer jacket is oval shaped, and is also very useful for processing solid conductor insulated wire. Normally this is the blade of choice for SJT, SVT, SJO, coaxial cable outer jacket removal, and many round multi-conductor wires.

Die blades are manufactured to the exact wire specifications. Blades can be produced for most any wire.

- TC Coating Available -



123232-XX

MARK	ITEM NUMBER	DESCRIPTION
G2.8X4.0	123232-1	DIE TYPE STRIP
G2.9X3.9	123232-32	DIE TYPE STRIP
G2.9X4.0	123232-2	DIE TYPE STRIP
G2.9X4.4	123232-33	DIE TYPE STRIP
G3.0X4.0	123232-3	DIE TYPE STRIP
G3.0X4.4	123232-34	DIE TYPE STRIP
G3.0X4.5	123232-4	DIE TYPE STRIP
G3.1X4.2	123232-25	DIE TYPE STRIP
G3.1X4.5	123232-26	DIE TYPE STRIP
G3.2X4.5	123232-5	DIE TYPE STRIP
G3.2X4.8	123232-6	DIE TYPE STRIP
G3.3X5.0	123232-35	DIE TYPE STRIP
G3.4X4.5	123232-27	DIE TYPE STRIP
G3.4X4.8	123232-28	DIE TYPE STRIP
G3.4X5.0	123232-36	DIE TYPE STRIP
G3.5X4.3	123232-7	DIE TYPE STRIP
G3.5X4.8	123232-8	DIE TYPE STRIP
G3.5X5.0	123232-9	DIE TYPE STRIP
G3.6X4.8	123232-29	DIE TYPE STRIP

MARK	ITEM NUMBER	DESCRIPTION
G4.0X4.7	123232-10	DIE TYPE STRIP
G4.0X5.5	123232-11	DIE TYPE STRIP
G4.0X5.8	123232-12	DIE TYPE STRIP
G4.2X5.8	123232-13	DIE TYPE STRIP
G4.3X5.2	123232-14	DIE TYPE STRIP
G4.3X5.8	123232-15	DIE TYPE STRIP
G4.4X5.9	123232-16	DIE TYPE STRIP
G4.5X6.0	123232-18	DIE TYPE STRIP
G4.6X6.0	123232-30	DIE TYPE STRIP
G4.8X6.1	123232-31	DIE TYPE STRIP
G5.0X6.1	123232-17	DIE TYPE STRIP
G5.2X7.5	123232-38	DIE TYPE STRIP
G5.3X6.5	123232-23	DIE TYPE STRIP
G5.4X6.5	123232-24	DIE TYPE STRIP
G5.5X6.6	123232-19	DIE TYPE STRIP
G5.5X8.0	123232-37	DIE TYPE STRIP
G5.6X6.6	123232-20	DIE TYPE STRIP
G5.6X6.6	123232-20	DIE TYPE STRIP
G6.0X6.8	123232-22	DIE TYPE STRIP


### DIE TYPE BLADES

The die-type blade has a fixed shut height. The cutting edge is precisely drilled to an exact radius dimension for the conductor diameter.

This type of blade is the most exactly matched blade to the wire specification, giving a very precise insulation removal. This is excellent for removal of extremely thin insulation walls or where the outer jacket is oval shaped, and is also very useful for processing solid conductor insulated wire. Normally this is the blade of choice for SJT, SVT, SJO, coaxial cable outer jacket removal, and many round multi-conductor wires.

Die blades are manufactured to the exact wire specifications. Blades can be produced for most any wire.

- TC Coating Available -



123233-XX

MARK	ITEM NUMBER	DESCRIPTION
R 2.0	123233-34	DIE TYPE STRIP
R 2.3	123233-6	DIE TYPE STRIP
R 2.5	123233-7	DIE TYPE STRIP
R 2.8	123233-8	DIE TYPE STRIP
R 2.9	123233-11	DIE TYPE STRIP
R 3.0	123233-2	DIE TYPE STRIP
R 3.1	123233-9	DIE TYPE STRIP
R 3.2	123233-1	DIE TYPE STRIP
R 3.3	123233-12	DIE TYPE STRIP
R 3.4	123233-10	DIE TYPE STRIP
R 3.5	123233-3	DIE TYPE STRIP
R 3.6	123223-13	DIE TYPE STRIP
R 3.7	123223-14	DIE TYPE STRIP
R 3.8	123233-15	DIE TYPE STRIP
R 3.9	123233-16	DIE TYPE STRIP
R 4.0	123233-17	DIE TYPE STRIP
R 4.2	123233-4	DIE TYPE STRIP
R 4.3	123233-5	DIE TYPE STRIP
R 4.5	123233-19	DIE TYPE STRIP
R 4.7	123233-22	DIE TYPE STRIP
R 5.0	123233-25	DIE TYPE STRIP

MARK	ITEM NUMBER	DESCRIPTION
R 5.3	123233-27	DIE TYPE STRIP
R 5.4	123233-32	DIE TYPE STRIP
R 5.6	123233-26	DIE TYPE STRIP
R 5.9	123233-35	DIE TYPE STRIP
R 6.0	123233-20	DIE TYPE STRIP
R 6.5	123233-31	DIE TYPE STRIP
R 6.8	123233-36	DIE TYPE STRIP
R 7.0	123233-21	DIE TYPE STRIP
R 7.1	123233-37	DIE TYPE STRIP
R 7.5	123233-38	DIE TYPE STRIP
R 7.6	123233-28	DIE TYPE STRIP
R 7.8	123233-23	DIE TYPE STRIP
R 8.1	123233-33	DIE TYPE STRIP
R 8.2	123233-39	DIE TYPE STRIP
R 8.4	123233-40	DIE TYPE STRIP
R 8.5	123233-29	DIE TYPE STRIP
R 9.0	123233-18	DIE TYPE STRIP
R 9.8	123233-24	DIE TYPE STRIP
R 10.4	123233-30	DIE TYPE STRIP
R 11.3	123233-43	DIE TYPE STRIP
R 11.7	123233-41	DIE TYPE STRIP
R 15.8	123233-42	DIE TYPE STRIP

• THREE LAKES, WI ( 715 ) 546-3070 • CONTACT LAKES PRECISION • EL PASO, TX ( 915 ) 856-6606 •

• EMAIL: [BLADES@LAKESPRECISION.COM](mailto:BLADES@LAKESPRECISION.COM) •